

D

F



| House Typ | Certificate No: | STAS/20/052/DM112/24 | | |
|---|---|---------------------------|------------------------------|------------------------------|
| Approval Certif | Date: | 17 July 2020 | | |
| | | | | |
| Certificate Holder: | | | | |
| CALA Homes Ltd Adam House, 5 Mid New Cutlins, E-mail: SKelso@Cala.co.uk | , Edinburgh EH11 4DU | | Tel: 0131 453 0072 | |
| House Type Titles: | | | | |
| Description: DEV | | | | |
| | | | 1 | |
| The domestic type approval has been | | wings and specification | is: | |
| See attached ar | nexe to this certificate | | | |
| | 1 1 10 1 10 1 | 1. c. 1.c. | 11 1 0 0 | |
| Climatic conditions: The design may | be built in areas where the ci | limatic conditions are e | qual to or less than those c | letalled below: |
| Wind: (as defined in BS 6399-2) | Standard effective wind speed, Ve = | | | 47.5 m/s |
| | For maximum effective he | | | 9m to ridge No |
| | Has funnelling been consid | sered ? | | NU |
| Wind: (as defined in CP3: Chapter V) | Design wind speed, Vs = (relevant to the building fra | 24.5m/s | | |
| Snow: (as defined in BS 6399-3) | Site snow load, So = Influenced by adjacent buil | 0.75 kN/m2 No | | |
| Resistance to moisture/durability of exposed elements: | Max exposure (to wind driven rain) grading, as defined in BRE Report – Thermal Insulation: Avoiding Risks, Second Edition, 1994, to be exposure zone: | | | Exposure Zones 1, 2, 3 and 4 |
| | Exposure to sea spray (i.e. | . coastal region) or de- | icing salts? | No |
| | Other air contaminants or I | biological factors - plea | ase specify any | None |
| | enhanced resistance if app | blicable (refer to BS754 | 3 tor guidance) | |
| Design Life: (per BS 7543 – Durability of buildings and building | Category of building design | n life = | | 60 years |
| elements, products and components) | Design life of primary build | ling envelope | | 60 years |
| | | | | |
| Conditions of certification: | | | | |

 The design shown and the specifications and materials referred to have been assessed and approved in accordance with the Building (Scotland) Regulations 2004 and in accordance with the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the supporting guidance in the Domestic Technical Handbooks which came into find the support of the sup

(Scotland) Regulations 2004 and in accordance with the supporting guidance in the Domestic Technical Handbooks which came into force with effect from 1 October 2019.

2. The certificate shall be valid until invalidated by formal notice by the Local Authority Building Standards Scotland

3. The design shown and the materials specified shall not be changed without reference to the Local Authority Building Standards Scotland responsible for certifying the system.

Where reference is made on a plan or specification document to any Code of Practice, British or European Standard or manufacturer's instruction it shall be construed as a reference to such publication in the form in which it is in force at the date of this certificate.
This certificate should not be regarded as a formal approval under the building warrant process prescribed by the Building (Scotland) Act

2003 enacted from 1 May 2005 The Hardow Computing Capacity of Statement of Structural Adaptions referenced here under Section C. confirm that a structural

6. The Harley Haddow Consulting Engineers Statement of Structural Adequacy referenced here under Section G, confirm that a structural appraisal has been carried out. It confirms that further site specific information MUST BE made available when a site specific building warrant is sought. Such additional information should take cognisance of Procedural Guidance on Certification including information to be submitted with a Building Warrant Application dated April 2010 Version 2 (January 2017). Confirmation of a holistic approach to structural adequacy of the <u>entire completed building</u> shall be provided by a registered engineer to the local authority within whose area the site specific dwelling is to be built.





Annexe of drawings, certificates and specification documents used in the assessment:

| F | Drawing Number: | Revision: | Description: |
|---|---------------------------|-----------|---|
| | | | · · · |
| | CALA plans: | | |
| | DEW-WD1-SE | Z | GENERAL ARRANGEMENT - PLANS and ELEVATIONS |
| | DEW-WD2.1-SE | L | UNDERBUILDING - SUSPENDED SLAB |
| | DEW-WD2.2-SE | F | SECTIONS A-A, B-B and C-C - ROOF TRUSS PROFILES |
| | DEW-WD6 | D | STAIR DETAILS - PLANS and SECTIONS |
| | | | |
| | Harley Haddow plans: | | |
| | 300722-DEW-SE02 | G | FOUNDATION & SUSPENDED SLAB LAYOUT & SECTIONS |
| | 300722-DEW-SE03 | K | GROUND AND FIRST FLOOR LAYOUTS |
| | 300722-DEW-SE04 | В | ROOF LAYOUT AND DETAILS |
| | 300722-DEW-SE05 | В | TIMBER FRAME CONSTRUCTION DETAILS |
| | 300722-DEW-SE06 | - | EXTERNAL MASONRY LEAF DETAILS |
| | 300722-DEW-07 | - | JULIET BALCONY FIXING DETAIL |
| | | | |
| | NC Designs plans: | | |
| | Dewar SE 11854 ASHP: | | |
| | 11854/M81 | - | GROUND FLOOR SPACE HEATING DESIGNS (HYBRID CUSTOM) |
| | 11854/M82 | A | FIRST FLOOR SPACE HEATING DESIGNS (HYBRID CUSTOM) |
| | 11854/M83 | A | EQUIPMENT SCHEDULE (HYBRID CUSTOM) |
| | 11854/M84 | А | GROUND FLOOR DHW DESIGNS (HYBRID CUSTOM) |
| | 11854/M85 | A | FIRST FLOOR DHW DESIGNS (HYBRID CUSTOM) |
| | Dewar SE 11958 BOILER/PV: | | |
| | 11958/M81 | - | GROUND FLOOR SPACE HEATING DESIGNS (BOILER/PV) |
| | 11958/M82 | - | FIRST FLOOR SPACE HEATING DESIGNS (BOILER/PV) |
| | 11958/M83 | - | EQUIPMENT SCHEDULE (BOILER/PV) |
| | 11958/M84 | - | GROUND FLOOR DHW DESIGNS (BOILER/PV) |
| | 11958/M85 | - | FIRST FLOOR DHW DESIGNS (BOILER/PV) |
| | | | |
| | Drainage plans: | | |
| | Dewar 6506-10 | С | ABOVE GROUND DRAINAGE ISOMETRIC |
| | | | |
| | Ventilation plans: | | |
| | Dewar DMEV: | | |
| | GF DMEV-51 | | GROUND FLOOR DECENTRALISED MECHANICAL EXTRACT VENTILATION |
| | FF DMEV-52 | E | FIRST FLOOR DECENTRALISED MECHANICAL EXTRACT VENTILATION |
| | | - Z | |

| G Certification | Certification | | | | |
|-----------------|---|---|--|--|--|
| | s Light And Space House Type Range | Harley Haddow (Edinburgh) Ltd dated 28 June 2018 | | | |
| STAS Appro | val - Statement of Structural Adequacy | | | | |
| · · · · | | · · | | | |
| H Specification | | | | | |
| Elmhurst En | ergy SAP Report Submission for Building Regulations | | | | |
| Compliance | (Hybrid and PV) | | | | |
| | | | | | |
| Refer to ST/ | AS/21/052/DM126/SD | Standard Light and Space Details | | | |
| Refer to ST/ | AS/21/052/DM126/SS | Standard Light and Space Specifications | | | |
| | AS/21/052/DM126/UCR | Standard Light and Space U-Values and Condensation Risk | | | |

Authority:

This system type approval certificateconsisting of 2 pages is authorised by:

Midlothian Council on behalf of the Local Authority Building Standards Scotland (LABSS)